

2001P07649WOUS
Raymond P. BRADY *et al.*
Appl. No.: 10/713,202

AMENDMENTS TO THE CLAIMS

The text of all pending claims is set forth below. The following listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A method for sorting delivery-information-bearing sortation items, using a continuous sorting conveyor, according to a specifiable destination route, with a number of destination route sections each subdivided into a number of destination sub-sections, the destination sub-sections having a number of consecutive destination positions, comprising the steps of:

- pre-sorting the sortation items according to said specifiable destination route:

- feeding the sortation items, ~~in a first pass,~~ to the continuous sorting conveyor using at least two feeding stations, said at least two feeding stations corresponding to no more than a number of destination route sections and having a number of sorting compartments disposed between two feeding stations;

- conveying, in a first sorting cycle, said sortation items according to their relevant destination position to a corresponding sorting compartment, the number of consecutive sorting compartments corresponding to the largest number of destination positions located within one of the destination sub-sections; and

- feeding, in a second sorting cycle, said sortation items conveyed to said sorting compartments back to said sorting conveyor by said feeding stations, said feeding said sortation items being performed in a sequence of said destination positions and said sortation items conveyed according to their relevant destination sub-section to a sorting compartment corresponding to said destination sub-section as well as a number of sorting compartments corresponding to a number of destination sub-sections.

2. (currently amended) The method according to claim 1, wherein, ~~prior to said first pass, said~~ pre-sorted sortation items are ~~pre-sorted according to destination route~~

2001P07649WOUS
Raymond P. BRADY *et al.*
Appl. No.: 10/713,202

~~sections and~~ fed by said feeding stations in a preceding one of said sorting compartments associated said destination route sections.

3. (previously presented) The method according to claim 2, wherein said number of sorting compartments required for sorting for a destination route section is disposed between two feeding stations.

4. (previously presented) The method according to claim 1, wherein the destination route sections are dimensioned such that an approximately even number of sortation items is sorted to each destination route section.

5. (previously presented) The method according to claim 2, wherein the destination route sections are dimensioned such that an approximately even number of sortation items is sorted to each destination route section.

6. (previously presented) The method according to claim 3, wherein the destination route sections are dimensioned such that an approximately even number of sortation items is sorted to each destination route section.

7. (previously presented) The method according to claim 1, wherein the number of destination positions and destination sub-sections within the destination route sections are approximately the same.

8. (previously presented) The method according to claim 2, wherein the number of destination positions and destination sub-sections within the destination route sections are approximately the same.

9. (previously presented) The method according to claim 3, wherein the number of destination positions and destination sub-sections within the destination route sections are approximately the same.

2001P07649WOUS
Raymond P. BRADY *et al.*
Appl. No.: 10/713,202

10. (previously presented) The method according to claim 4,
wherein the number of destination positions and destination sub-sections within
the destination route sections are approximately the same.

11. (previously presented) The method according to claim 5,
wherein the number of destination positions and destination sub-sections within
the destination route sections are approximately the same.

12. (previously presented) The method according to claim 6,
wherein the number of destination positions and destination sub-sections within
the destination route sections are approximately the same.

13. (previously presented) The method according to claim 1, wherein
between two feeding stations there are disposed at least two sorting compartments
corresponding to destination route sections and a number of feeding conveyors
corresponding to said destination route sections, of which there are at least two, are
disposed in the upstream feeding station.

14. (previously presented) The method according to claim 2, wherein
between two feeding stations there are disposed at least two sorting compartments
corresponding to destination route sections and a number of feeding conveyors
corresponding to said destination route sections, of which there are at least two, are
disposed in the upstream feeding station.

15. (previously presented) The method according to claim 3, wherein
between two feeding stations there are disposed at least two sorting compartments
corresponding to destination route sections and a number of feeding conveyors
corresponding to said destination route sections, of which there are at least two, are
disposed in the upstream feeding station.

2001P07649WOUS
Raymond P. BRADY *et al.*
Appl. No.: 10/713,202

16. (previously presented) The method according to claim 4, wherein between two feeding stations there are disposed at least two sorting compartments corresponding to destination route sections and a number of feeding conveyors corresponding to said destination route sections, of which there are at least two, are disposed in the upstream feeding station.

17. (previously presented) The method according to claim 7, wherein between two feeding stations there are disposed at least two sorting compartments corresponding to destination route sections and a number of feeding conveyors corresponding to said destination route sections, of which there are at least two, are disposed in the upstream feeding station.

18. (cancelled)

19. (previously presented) The method according to claim 14, wherein only sortation items are pre-sorted for one of the route sections and fed to each feeding conveyor.

20. (previously presented) The method according to claim 15, wherein only sortation items are pre-sorted for one of the route sections and fed to each feeding conveyor.

21. (cancelled)

22. (cancelled)